



NEW 5CCT LIGHT KIT
5CCT: 2700K - 3000K - 4000K - 5000K - 6500K

35 POSSIBLE VARIATIONS

NEW BLADE FINISH

Ariella

Graceful, Powerful, and Effortlessly Sophisticated

The Ariella ceiling fan is a statement of modern elegance. With its striking eight-blade design, it delivers superior airflow while seamlessly blending into any space. Engineered for wet locations, Ariella brings beauty and performance indoors and out. Customize your ambiance with a color-changing light kit, five motor finishes, and seven blade options, ranging from sleek and contemporary to warm and rustic. Designed for those who appreciate both style and substance, Ariella is the perfect finishing touch to any space.



Shown:

ANLK-BRBR-MWH-64 Brushed Brass Finish, with Matte White Blades



Shown:

ANLK-BK-BW-64 Matte Black Finish, with Barn Wood Tone Blades



AN-MWH-BN-64
Matte White Finish,
with Brushed Nickel Blades



ANLK-BK-BK-64
Matte Black Finish,
with Matte Black Blades



AN-BRBR-WN-64
Brushed Brass Finish,
with Walnut Tone Blades



ANLK-TB-BW-64
Textured Bronze Finish,
with Barn Wood Tone Blades



AN-TB-MWH-64
Textured Bronze Finish,
with Matte White Blades



ANLK-BN-GA-64
Brushed Nickel Finish,
with Gray Ash Tone Blades



AN-BN-LM-64
Brushed Nickel Finish,
with Light Maple Tone Blades



ANLK-BRBR-BK-64
Brushed Brass Finish,
with Matte Black Blades

PRODUCT FEATURES

- LED** 5CCT Color Changing Light Kit
- DC** DC Motor
- Silent** Silent Motor
- Handheld Remote**
- 60°** Optional 60° Slant Mount
- Dimmable Light Kit**
- Wet Location**
- 30°** 30° Slant Ceiling Canopy
- Accessory Wall Control**
See page. 132
- Unipack Shipping**

FAN FEATURES

Blades (8)

- 18° Pitch
- 64" Blade Length / 162.56cm
- ABS Blades

Overall Drop 9in / 23cm +
downrod length

Fan Weight 28 lbs

Downrod Lengths

inches: 5, 10, 18, 24, 36, 48, 60, 72
centimeters: 13, 25, 46, 61, 92, 122,
153, 183

Field cuttable, Non-threaded

Downrod Diameter 1 inch

Fan Diameter 64in / 162.56cm

Voltage 110 or 220

LIGHT KIT PHOTOMETRICS

Lamping (Replaceable)

Integrated LED

CRI 90 | **Watts** 22 | **Hours** 30,000

Dimmable

Light Kit Longevity if used
6 Hours/Day: 13.7 Years

DELIVERED LUMENS

2700K 1063 **5000K** 1221
3000K 1088 **6500K** 1107
4000K 1234

DOE MOTOR EFFICIENCY DATA

RPM (Low/High) 50 / 107

CFM (Low/High) 3343 / 6863

Watts (High) 33.11

CFM/Watt (High) 246

MOTOR FEATURES

Motor Type DC

Ambience Silent

Safety Certification UL / CUL

Warranty Limited Lifetime

STANDARD EQUIPMENT

Downrod 10in / 25cm

Slant Ceiling Canopy 30°




Handheld Remote

- 6 Speed
- Motor Off
- Reverse
- Light on/off
- 5 Temperature Color Changes
- Dimmable Control

**For more information see
accessory page. 132*

TECHNICAL SPECIFICATIONS



SKU BUILDER

NO LIGHT KIT

AN-XXXX-XXX-XX

(Model+Finish+Blade+Diameter)

LIGHT KIT


ANLK-XXXX-XXX-XX

(Model+Finish+Blade+Diameter)

FAN FINISHES

35 POSSIBLE VARIATIONS

Fan Finishes	Blade Finishes
Light Kit & No Light Kit	64"




BRBR

Brushed Brass



BW

Barn Wood Tone



BN

Brushed Nickel



GA

Gray Ash Tone



BK

Matte Black



LM

Light Maple Tone



MWH

Matte White



BK

Matte Black



TB

Textured Bronze



MWH

Matte White



WN

Walnut Tone